

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("6493341").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 12:07
L2	1	("7,020,717").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 12:37
L3	1	("6907011").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 12:38
S1	20	(publish\$3 with subscrib\$3) same router\$1	USPAT	OR	OFF	2006/05/04 16:14
S2	1	("6816903").PN.	USPAT; USOCR	OR	OFF	2005/11/04 13:46
S3	1	("6687731").PN.	USPAT; USOCR	OR	OFF	2005/11/04 13:46
S4	265	(publish\$3 with subscrib\$3) and router\$1 and register\$3 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 10:40
S5	14	(publish\$3 with subscrib\$3) and router\$1 with register\$3 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 11:13
S6	0	("20050144298").PN.	USPAT; USOCR	OR	OFF	2006/05/02 11:13
S7	1	("20050144298").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/02 11:13
S8	0	"709"/\$.238. and (select\$3 with paths) same router\$1	USPAT	OR	OFF	2006/05/04 16:15
S9	0	"709"/\$.238. and (select\$3 with paths) same router\$1 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:16
S10	0	"709"/\$.238. and (short\$3 with paths) same router\$1 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:17

EAST Search History

S11	0	"709"/\$.238. and (paths) same router\$1 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:17
S12	0	"709"/\$.238 and (paths) same router\$1 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:17
S13	409	"709"/238.ccls. and (paths) same router\$1 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:17
S14	94	"709"/238.ccls. and (select\$3 with paths) same router\$1 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:18
S15	0	"709"/238.ccls. and (select\$3 with paths) same (application near1 router\$1) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:18
S16	3	"709"/238.ccls. and (select\$3 with paths) same (application with router\$1) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:20
S17	15	"709"/238.ccls. and (select\$3 with paths) same (router\$1) and application near1 layer and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:30
S18	0	"709"/238.ccls. and (select\$3 with paths) same (software near1 router\$1) and application near1 layer and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:30

EAST Search History

S19	0	"709"/238.ccls. and (select\$3 with paths) same (software near1 router\$1) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:31
S20	3	"709"/238.ccls. and (select\$3 with paths) and (software near1 router\$1) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:32
S21	9	(application near1 layer near1 router) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:33
S22	5	select\$3 and (application near1 layer near1 router) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:49
S23	0	709/239.ccls. and (application near1 layer near1 router) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:49
S24	2	709/239.ccls. and (application near1 layer with router) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:50
S25	12	709/238.ccls. and (application near1 layer with router) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:56
S26	10	709/238.ccls. and (software adj1 router) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:57

EAST Search History

S27	9	709/238.ccls. and (software adj1 router) and select\$3 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:58
S28	4	709/238.ccls. and (software adj1 router) and select\$3 with (rout\$3 paths) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 17:34
S29	1	("5781534").PN.	USPAT; USOCR	OR	OFF	2006/05/04 17:50
S30	93	709/239.ccls. and application with layer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 17:50
S31	78	709/239.ccls. and application with layer and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 17:58
S32	2	709/239.ccls. and (layer adj1 seven) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 18:00
S33	47	709/239.ccls. and (application near1 layer) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 18:01
S34	23	709/239.ccls. and (application near1 layer) and select\$3 with (path\$1 rout\$3) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 18:57
S35	1	("20030120809").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/04 19:00

EAST Search History

S36	36	709/239.ccls. and (application near1 layer) and (choos\$3 select\$3 alterna\$5) with (path\$1 rout\$3) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:11
S37	43	709/239.ccls. and (application near1 layer) and (select\$3 routers) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:12
S38	0	709/239.ccls. and (application near1 layer) and (select\$3 near1 routers) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:12
S39	12	709/238.ccls. and (application near1 layer) and (select\$3 near1 routers) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:17
S40	10	709/238.ccls. and (software adj1 routers) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:18
S41	4	709/238.ccls. and (software adj1 routers) and ((select\$3 choos\$3) with (path\$3 rout\$3)) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:20
S42	2	709/239.ccls. and (software adj1 routers) and ((select\$3 choos\$3) with (path\$3 rout\$3)) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:21
S43	19	709/239.ccls. and (rout\$3 near1 application) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:21

EAST Search History

S44	0	709/239.ccls. and (rout\$3 near1 application) with (select\$3 near1 paths) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:22
S45	0	709/238.ccls. and (rout\$3 near1 application) with (select\$3 near1 paths) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:22
S46	1	(rout\$3 near1 application) with (select\$3 near1 paths) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:22
S47	71	709/239.ccls. and (message with routers) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 16:02
S48	7	709/239.ccls. and (message with routers with (register\$3 configura\$4)) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 16:05
S49	0	709/239.ccls. and (message with routers with application with (register\$3 configura\$4)) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 16:06
S50	1	709/238.ccls. and (message with routers with application with (register\$3 configura\$4)) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 16:06
S51	16	709/238.ccls. and (routers with application with (register\$3 configura\$4)) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 16:08

EAST Search History

S52	13	709/238.ccls. and (routers with software with (register\$3 configura\$4)) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 17:31
S53	12	(routers near1 software with (register\$3 configura\$4)) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 17:39
S54	3	(software adj1 router with (register\$3 configura\$4)) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 18:18
S55	0	("20040148354").PN.	USPAT; USOCR	OR	OFF	2006/05/05 18:18
S56	1	("20040148354").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/05 18:38
S57	1	("20020087628").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/05 18:49
S58	1	("20020023230").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/05 18:55
S59	1	((("20030172183") or ("2002009591")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/05 18:56
S60	2	((("20030172183") or ("2002009591")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/05 18:57
S61	3	((("20030172183") or ("2002009591") or ("6859819")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 11:31